

CITY OF ALAMO

Request for Sealed Bids

The City of Alamo hereby requests sealed bids for the purchase of the following:

Hot Mix Asphalt

Sealed bids addressed to Adela Perez, Purchasing Agent, will be accepted at the Alamo City Hall Purchasing Department, 420 N. Tower Rd., Alamo, Texas 78516, until **3:00 p.m.** on **June 30, 2021**, at which time they will be opened and read aloud. Please mark envelope, **Sealed Bid – Hot Mix Asphalt**”.

Potential Respondents are advised that the bidding documents can be downloaded from the City of Alamo web page address: www.alamotexas.org, and may also be secured at the Alamo City Hall Purchasing Department, 420 N. Tower Rd., Alamo, Texas, or by calling 956/787-0006, ext. 141. Be advised that if your company is contemplating on bidding this project you must contact the Purchasing Department, so that any changes/additions via addendum form can be forwarded to your company. (Please include your company name, address, telephone, fax and email as well as contact person).

The City of Alamo reserves the right to accept or reject any and all bids and to accept the bid to be the best and most advantageous to the City and to hold bids for a period of forty-five (45) days from the date of the bid opening without taking action for the purpose of reviewing the bids and investigation of bidders’ qualifications prior to award. Bids submitted past the aforementioned date and time will not be accepted.

City of Alamo
Adela Perez
Purchasing Agent

VENDOR'S NOTICE OF INTENT TO SUBMIT A BID

If you intend to submit a bid for **Hot Mix Asphalt** with the City of Alamo as outlined in the specifications, please indicate your intention by signing, dating, and returning this form to the address below prior to **June 30, 2021**, so that you may receive any addendums to the specifications should the need arise.

**Adela Perez
Purchasing Agent
City of Alamo
Purchasing Department
420 N. Tower Rd.
Alamo, Texas 78516
Phone: (956) 787-0006, ext. 141
Fax: (956) 283-8855**

Name: _____	Signature: _____
Title: _____	Company/Agency: _____
Mailing Address: _____	City/State/Zip: _____
Phone: _____	Fax: _____
Email: _____	

CITY OF ALAMO

HOT MIX

I. **General Requirement:**

It is the intent of the City of Alamo, Texas to purchase Hot Mix Asphaltic Concrete of the type listed in Section III below, as outlined in these specifications. This material is to be used by the City as a surface wearing course.

II. **Materials (General):**

Asphaltic concrete shall consist of hot mixture of mineral aggregate and asphaltic materials, and will be used as a surface course.

III. **Type and Grade:**

Type "D" (Fine graded surface course) modified.

The hot mix asphalt concrete shall conform to the requirements of Item 340, of the Texas Department of Transportation, 1993 specifications, with anti-stripping agents. The successful bidder shall submit an asphalt mix design within ten (10) days upon award of contract from a geo-technical laboratory demonstrating that the hot mix asphaltic concrete to be used meets these specifications. The asphalt to be used shall be PG 64-22 (standard in current TXDOT mixes). Special modifications to Standard Specification Item 340 for this project are as follows:

1. **Asphalt Content-** Asphaltic material (PG 64-22 standard in current TXDOT mixes) shall be from 4 ½ to 8.0 percent of the mixture by weight.
2. **Hveem Stability-** Hveem stability shall not be less than 30 percent.

IV. **BID QUANTITY:**

1. This bid quantity is approximately 750 tons of Hot Mix Asphaltic Concrete Type "D" (fine graded surface course).
2. Pay request shall be submitted for review and paid on a monthly basis.
3. Bid unit price quantities shall be good for a term of one year from date of bid award.
4. The bid price shall be full compensation for delivery. Quantities and delivery locations will be negotiated with successful bidder.
5. **Quantity subject to change.** Quantities shown are approximate, it is specifically understood that these quantities may be increased or decreased without adjustment to the unit price.

V. **TRANSPORTING:**

The asphaltic mixture, prepared as specified above, shall be hauled to the job site in tight vehicles previously cleaned of all foreign material. In cool weather or for long hauls, canvas covers and insulating of the truck bodies may be required. If the temperature of the asphaltic mixture of a load or any part of a load becomes less than 225 degrees Fahrenheit or more than 350 degrees Fahrenheit all or any part of the load may be rejected.

CITY OF ALAMO
HOT MIX ASPHALT
BID FORM

The _____(bidder), having read the specifications, proposes to furnish the below noted Hot Mix Asphalt, for the full and firm price and within delivery time designated below, in full compliance with the specifications.

Respectfully submitted this _____ day of _____ 2021.

The undersigned affirms that they are duly authorized to execute this agreement, that this company, corporation, firm, partnership or individual has not prepared this bid in collusion with any other bidder, and that the contents of this bid as to prices, terms or conditions of said bid have not been communicated by the undersigned nor by any employee or agent to any other person engaged in this type of business prior to the official opening of this bid.

<u>Description/Estimated Quantity</u>	<u>Price Per Ton</u>	<u>Total Amount</u>
1. 750 Tons of Hot Mix Asphalt Type D	\$ _____	\$ _____

Delivery Date: _____

Company: _____ Address: _____

City: _____ State: _____ Zip Code _____

Phone Number: _____ Fax Number: _____

Email: _____

Authorized Signature: _____ Title: _____

Please print above signature