CITY OF ALAMO

2021 ANNUAL DRINKING WATER QUALITY REPORT (CONSUMER CONFIDENCE REPORT) (956) 787-2232 (956) 787-8321 (956) 787-0006

SPECIAL NOTICE: Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/Centers for Disease Control and Prevention (CDC) guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline 1-800-426-4791.

PUBLIC PARTICIPATION: Regular Commissioner's meetings are held the 1st and 3rd Tuesdays of the month, at 6:00 pm, in the Municipal Building located at 420 N Tower Road, Alamo, Texas.

ALL DRINKING WATER MAY CONTAIN CONTAMINANTS. When drinking water meets federal standards, there may not be a health-based benefit to purchasing bottled water or point of use devices. Drinking water, including bottled water, might reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. Information about contaminants and potential health effects can be obtained by calling the EPA's safe drinking water hotline at 1-800-426-4791.

The TCEQ completed an assessment of our water and results indicate that our sources have a low susceptibility to contaminants. The sampling requirements for our water system are based on this susceptibility and previous sample data. Any detections of these contaminants may be found in this Consumer Confident Report. In order to ensure that tap water is safe to drink, EPA prescribes regulations which limit the amount of certain contaminants in water provided by public water systems. FDA regulations establish limits for contaminants in bottled water which must provide the same protection for public health. For more information on source water assessments and protection efforts at our system contact Robert Salinas at (956)787-0006.

Este informe incluye informacion importante sobre el agua potable. Si tiene preguntas o comentarios sobre este informe en espanol, favor de llamar al tel. (956) 787-2232 para hablar con una persona bilingue en espanol.

NOTICE MAILED 06/30/2022

WATER SOURCES: Our raw water supply is derived from the Rio Grande River and is delivered to us via numerous miles of river, dams, cement canals and cement piping which is owned and operated by the Hidalgo County Irrigation District No 2. As water is delivered, it dissolves naturally occurring minerals and even picks up substances resulting from the presence of animals or from human activity. TCEQ will be reviewing all of Texas drinking water sources. The source water assessment has been completed and the report, which will be available this year, will allow us to focus on our source water protection activities. Contaminants that might be expected in untreated water include: microbial contaminants such as viruses and bacteria; inorganic contaminants such as salts and metals; pesticides and herbicides, organic chemicals from industrial or petroleum use and radioactive contaminants resulting from oil and gas production and mining activities.

ABOUT THE ENCLOSED PAGES: the enclosed pages list all of the federally regulated or monitored constituents, which have been found in your drinking water, US EPA requires water systems to test up to 97 constituents.

SECONDARY CONSTITUENTS: Many constituents such as calcium, sodium, or iron, which are often found in drinking water, can cause taste, color, and odor problems. The taste and odor constituents are called secondary constituents and are regulated by the State of Texas not EPA. These constituents are not cause for health concerns. Therefore, secondary's are not required to be reported in this document but they may greatly affect the appearance and taste of your water.

DEFINITIONS

MAXIMUM CONTAMINANT LEVEL (MCL)-The highest permissible level of a contaminant in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

MAXIMUM CONTAMINANT LEVEL GOAL (MCLG)-The level of a contaminant in drinking water below which there is no known or expected health risk, MCLGs allow for a margin of safety.

MAXIMUM RESIDUAL DISINFECTANT LEVEL (MRDL)-The highest level of disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

MAXIMUM RESIDUAL DISINFECTANT LEVEL GOAL (MRDLG)-The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contamination.

TREATMENT TECHNIQUE (TT)-A required process intended to reduce the level of a contaminant in drinking water. ACTION LEVEL (AL)-The concentration of a contaminant which, if exceeded, triggers treatment or other requirements that a water system must follow.

na – not applicable

ABBREVIATIONS:

NTU - Nephelometric Turbitity Units (a measure of turbidity)

pCi/I – picocuries per liter (a measure of radioactivity)

ppb – parts per billion or micrograms per liter (mg/l)

ppg – parts per quadrillion or pictograms per liter(pg/L)

MFL – million fibers per liter (a measure of asbestos)

ppm – parts per million or milligrams per liter (mg/l)

ppt – parts per trillion or nanograms per liter

Recommended Additional Health Information for Lead

"If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. This water supply is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential lead exposure by flushing your tap for 20 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods and steps you can take to minimize exposure is available from the safe Drinking Water Hotline at www.epa.gov/safewater/lead.

LEAD ANI	DCOFFLN									
YEAR	CONTAMINANT	THE 90 TH PERCENTILE	NUMBER OF SITES		ACTION	UNIT O	F MCLG	VIOLATION	SOURCE OF CONTAMINANT	
			EXCEEDING A	CTION LEVEL	LEVEL	MEASU	RE			
2019	Lead	3.5	0		15	ppb	0	N	Corrosion of household plumbing systems; erosion of natural deposits.	
2019	Copper	0.068	0	1.3		ppm	1.3	N	Corrosion of household plumbing systems; erosion of natural	
									deposits; leaching from wood preservatives.	
RADIOAC	TIVE CONTAMINANTS	AVERAGE LEVEL	MINIMUM LEVEL	MAXIMUM L	EVEL	MCL	MCLG	UNIT OF MEASURE		
2020	Gross beta emitters	6.0	6.0	6.0		50	0	pCi/L	Decay of natural and man-made deposits.	
2020	Gross alpha	4	4	4		15	0	pCi/L	Erosion of natural deposits.	

ORGANIC CONTAMINANTS-Testing waived, not reported or none detected.

MAXIMUM RESIDUAL DISINFECTANT LEVEL-System must complete and submit disinfection data on the Surface Water Monthly Operations Report. On the CCR report, the system must provide disinfectant type, minimum, maximum and average levels.

YEAR	DISINFECTANT	AVERAGE LEVEL	MINIMUM LEVEL	MAXIMUM LEVEL	MRDL	MRDLG	UNIT OF MEASURE	SOURCE OF CHEMICAL		
2021	Chlorine Dioxide	.02	.05	.42	.80	.80	ppm	Disinfectant used to control microbes.		
DISINFE	DISINFECTION BYPRODUCTS									
YEAR	CONTAMINANT	AVERAGE LEVEL	MINIMUM LEVEL	MAXIMUM LEVEL	MCL	MCLG	UNIT OF MEASURE	SOURCE OF CONTAMINANT		
2021	Total haloacetic acids	14	6.5	22.9	60		ppb	Byproduct of drinking water disinfection.		
2021	Total Trihalomethanes	19	6.6	26.9	80		pbb	Byproduct of drinking water disinfection.		
2021	Chlorite	.320	0.110	0.525	1	.08	ppm	Byproduct of drinking water disinfection		
Unregulated Initial Distribution System Evaluation for Disinfection Byproducts – Waived or not yet sampled.										

UNREGULATED CONTAMINANTS

Bromoform, chloroform, dislorobromomethane and dibromochloremethane are disinfection byproducts. There is no maximum contaminant level for these chemicals at the entry point to distribution.

YEAR	CONTAMINANT	AVERAGE LEVEL	MINIMUM LEVEL	MAXIMUM LEVEL	UNIT OF MEASURE	SOURCE OF CONTAMINANT
2021	Chloroform	1.02	1.0	1.2	ppb	Byproduct of drinking water disinfection.
2021	Bromofrom	2.6	1.0	3.4	ppb	Byproduct of drinking water disinfection.
2021	Bromodichloromethane	9.4	5.5	15.4	ppb	Byproduct of drinking water disinfection.
2021	Dibromochloromethane	5.7	1.7	8.4	ppb	Byproduct of drinking water disinfection.

TURBIDITY is a measurement of the cloudiness of the water caused by suspended particles and has no health effects. However, turbidity can interfere with disinfection and provide a medium for microbial growth. Turbidity may indicate the presence of disease causing organisms. These Organisms include bacteria, viruses and parasites that can cause symptoms such as nausea, cramps, diarrhea and associated headaches. We monitor it because it is a good indicator of water quality and the effectiveness of our filtration system and disinfectants.

diamined and associated mediateles. We monitor it because it is a good maleutor of water quality and the effectiveness of our miration system and dismined and.									
YEAR	CONTAMINANT	HIGHEST SINGLE	LOWEST MONTHLY % OF	TURBIDITY	UNIT OF MEASURE	SOURCE OF CONSTITUENT			
		MEASUREMENT	SAMPLES MEETING LIMITS	LIMITS					
2021	Turbidity	.18	100.00	0.3	NTU	Soil runoff.			

TOTAL ORGANIC CARBON (TOC) has no health effects. The disinfectant can combine with TOC to form disinfection byproducts. Disinfection is necessary to ensure that water does not have unacceptable levels of pathogens. Byproducts of disinfection include trihalomethanes (THMs) and haloacetic acids (HAA) which are reported elsewhere in this report. The percentage of Total Organic Carbon (TOC) removal was measured each month and the system met all TOC removal requirements set, unless a TOC violation is noted in the violations sections.


YEAR	CONTAMINANT	AVERAGE LEVEL	MINIMUM LEVEL	MAXIMUM LEVEL	UNIT OF MEASURE	SOURCE OF CONTAMINANT
2021	Source water	4.4	3.4	6.1	ppm	Naturally present in the environment.
2021	Drinking water	3.3	2.6	3.5	ppm	Naturally present in the environment.
2021	Removal ratio	22.2%	15.3%	30.3%	% removal*	N/A

^{*}removal ratio is the percent of YOC removed by the treatment process divided by the percent of TOC required by TCEQ to be removed.

TOTAL COLIFORM bacteria are used as indicators of microbial contamination of drinking water because testing for them is easy. While not disease causing organisms themselves, they are often found in association with other microbes that are capable of causing disease. Coliform bacteria are more hardy than many disease causing organisms; therefore, their absence from water is a good indication that the water is microbiologically safe for human consumption.

2	2020	Total Coliform	0)	*		Naturally present in the environment.
γ	YEAR	CONTANIMANT		JMBER OF POSITIVE SAMPLES	MCL	UNIT OF MEASURE	SOURCE OF CONTAMINANT

^{*}Two or more coliform found samples in any single month.



PRESORTED STANDARD MAIL US POSTAGE PAID ALAMO, TX 78516 PERMIT NO. 8

Secondary and Other Constituents Not Regulated – (No associated adverse health effects)											
YEAR	CONSITUTENT	AVERAGE		MINIMUM	1	MAXIMUN	Л	SECONE	DARY	UNIT OF	SOURCE OF CONSTITUENT
2021	Bicarbonate	LEVEL 133		LEVEL 133		LEVEL 133		LIMIT NA		MEASURE	Corrosion of carbonate rocks such as
2021	Bicarbonate	133		155		133		IVA		ppm	limestone.
2021	Chloride	187		187		187		300		ppm	Abundant naturally occurring element; used in water purification; byproduct of oil filed activity.
2021	Hardness as Ca/Mg	309		309		309		NA		ppm	Naturally occurring calcium and magnesium
2021	рН	7.6		7.6		7.6		>7.0		units	Measure of corrosivity of water.
2021	Sodium	156		156		156		NA		ppm	Erosion of natural deposits; byproduct of oil field activity.
2021	Sulfate	311		311		311		300		ppm	Naturally occurring; common industrial byproduct; byproduct of oil field activity.
2021	Total Alkalinity As CaCO3	123		104		132		NA		ppm	Naturally occurring soluble mineral salts.
2021	Total Dissolved Solids	878		878		878		1000		ppm	Total dissolved mineral constituents in water.
INORGAN	IIC CONTAMINANTS										
YEAR	CONTAMINANT	HIGHEST LEVE	EL	RANGES O			MCLG	MCL		UNIT OF MEASURE	SOURCE OF CONTAMINENT
2021	ARSENIC	0.0020		0.0020	20.22		0	10		ppb	Erosion of natural deposits;Runoff from orchards;Runoff from glass and electronics production wastes.
2021	Barium	0.0959		0.0959- 0.	0959		2	2		ppm	Discharge of drilling wastes; Discharge from metal refineries; Erosion of natural deposits
2021	Nitrate(measured as Nitrogen)	.44		.4444			10	10		ppm	Runoff from fertilizer use;Leaching from eptic tanks,sewage;Erosion of natural deposits
2021	Nitrite(measured As Nitrogen)	.01		.0101			1	1		ppm	Runoff from fertilizer use;Leaching from eptic tanks,sewage;Erosion of natural deposits
2021	Selenium	.0034		.003400)34		50	50		ppb	Discharge from petroleum and metal refineries; Erosion of natural deposits; Discharge from mines.
2021	Cyanide	30		30-30			200	200		ppb	Discharge from plastic and fertilizer factories Discharge from steel/metal factories
		AVERAGE LEVEL	MININ		MAXIMUI LEVEL	М	MCLG	MCL		UNIT OF MEASURE	SOURCE OF CONTAMINANT
2021	Fluoride	0.50	0.50)	0.50		4	4		ppm	Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories.
2021	Nitrate	.44		.44	.44		10	10		ppm	Runoff from fertilizer use; leaching from septic tanks, sewage; erosion of natural deposits.
RADIOAC	RADIOACTIVE CONTAMINANTS										
COLLECTI DATE	ON CONTAMINANT	HIGHLEST DETECTED		RANGE OF			MCI	.G MC	CL	UNIT OF MEASURE	SOURCE OF CONTAMINENT
	14 Combined Radium 226/228			0.91-0.91			0	5		pCi/L	Erosion of natural deposits.
2020 *EPA con	Beta/photon emitte siders 50 pCi/L to be th		ern for	6.0 – 6.0 beta particl	es		0	50		pCi/L*	Decay of natural and man-made deposits
2020	Uranium	4.7		4.7 – 4.7			0	30)	ug/l	Erosion of natural deposits

IN THE WATER LOSS AUDIT SUBMITTED TO TEXAS WATER DEVELOPMENT BOARD FOR THE TIME PERIOD OF JANUARY 2021 OUR SYSTEM LOST AN ESTIMATED TOTAL OF 28 GALLONS PER CAPITA PER DAY (GPCD) OF WATER.

A SOURCE WATER ASSESSMENT FOR YOUR DRINKING WATER SOURCE(S) IS CURRENTLY BEING CONDUCTED BY THE TCEQ AND SHOULD BE PROVIDED TO US THIS YEAR. THE REPORT WILL DESCRIBE THE SUSCEPTIBILITY AND TYPES OF CONSTITUENTS THAT MAY COME INTO CONTACT WITH YOUR DRINKING WATER SOURCE BASED ON HUMAN ACTIVITIES AND NATURAL CONDITIONS. THE INFORMATION IN THIS ASSESSMENT WILL ALLOW US TO FOCUS ON OUR SOURCE WATER PROTECTION STRATEGIES.